INDEX TO AUTHORS

A

ANTOINE, JEAN CLAUDE. See GONATAS, GONATAS, STIEBER, ANTOINE, and AVRAMEAS, 477

AVRAMEAS, STRATIS. See GONATAS, GONATAS, STIEBER, ANTOINE, and AVRAMEAS, 477

B

BACHVAROVA, ROSEMARY. See RODMAN and BACHVAROVA, 251

BANJO, ADESEGUN O., and NEMETH, ANDREW M. The proliferation of endoplasmic reticulum with its enzyme, UDP-glucuronyltransferase, in chick embryo liver during culture. Effects of phenobarbital, 319

BLOBEL, GÜNTER. See DWYER and BLOBEL, 581

BLOSE, STEPHEN H., and CHACKO, SAMUEL. Rings of intermediate (100 Å) filament bundles in the perinuclear region of vascular endothelial cells. Their mobilization by Colcemid and mitosis, 459

BOWMAN, CHARLES L., TEDESCHI, HENRY, DIDOMENICO, BETH J., and TUNG, FRED. Osmotic behavior and permeability of osmotically lysed mitochondria, 348

BRANTON, DANIEL. See FISHER and BRANTON, 453

C

CAPUZZI, DAVID M. See PIETRA, SPAGNOLI, CAPUZZI, SPARKS, FISHMAN, and MARSH, 33

CARDELLI, JAMES, LONG, BYRON, and PITOT, HENRY C. The direct association of messenger RNA labeled in the presence of fluoroorotate with membranes of the endoplasmic reticulum in rat liver, 47

CHACKO, SAMUEL. See BLOSE and CHAKO, 459

CHAN, A. C., NG, S. K. C., and WALKER, I. G. Reduced DNA repair during differentiation of a myogenic cell line, 685

CHENG, HAZEL, and FARQUHAR, MARILYN G. Presence of adenylate cyclase activity in Golgi and other fractions from rat liver. I. Biochemical determination, 660

– and –, II. Cytochemical localization within Golgi and ER membranes, 671

CLARK, ROBERT A., OLSSON, INGE, and KLEBANOFF, SEYMOUR J. Cytotoxicity for tumor cells of cationic proteins from human neutrophil granules, 719

COMINGS, DAVID E., and HARRIS, DAVID C. Nuclear proteins. II. Similarity of nonhistone proteins in nuclear sap and chromatin, and essential absence of contractile proteins from mouse liver nuclei, 440

COON, HAYDEN G. See WHITLOCK, GELBOIN, and COON, 217

COPPS, THEODORE P. See SZEKELY and COPPS, 466

D

DAYTON, WILLIAM R. See REVILLE, GOLL, STROMER, ROBSON, and DAYTON, 1

DE CAMILLI, P., PELUCHETTI, D., and MELDOLESI, J. Dynamic changes of the luminal plasmalemma in stimulated parotid acinar cells. A freeze-fracture study, 59

DIDOMENICO, BETH J. See BOWMAN, TEDESCHI, DIDOMENICO, and TUNG, 348

DREIFUSS, JEAN JACQUES. See THEODOSIS, DREIFUSS, HARRIS, and ORCI, 294

DULHUNTY, ANGELA F. See PERACCHIA and DULHUNTY, 419

DWYER, NANCY, and BLOBEL, GÜNTER. A modified procedure for the isolation of a pore complex-lamina fraction from rat liver nuclei, 581

E

EDSTRÖM, J.-E., and LÖNN, U. Cytoplasmic zone analysis. RNA flow studied by micromanipulation, 562

–. See LÖNN and EDSTRÖM, 573

ERNST, STEPHEN A. See KARNAKY, ERNST, and PHILPOTT, 144

F

FARQUHAR, MARILYN G. See CHENG and FARQUHAR, 660, 671

FISHER, KNUTE A., and BRANTON, DANIEL. Freeze-fracture autoradiography: feasibility, 453

FISHMAN, ALFRED P. See PIETRA, SPAGNOLI, CAPUZZI, SPARKS, FISHMAN, and MARSH, 33

G

GELBOIN, HARRY V. See WHITLOCK, GELBOIN, and COON, 217

GOLDMAN, JAMES E., KIM, KWANG SHIN, and SCHWARTZ, JAMES H. Axonal transport of [^{3}H]serotonin in an identified neuron of *Aplysia californica*, 304

GOLL, DARREL E. See REVILLE, GOLL, STROMER, ROBSON, and DAYTON, 1

GONATAS, JACQUELINE O. See GONATAS, GONATAS, STIEBER, ANTOINE, and AVRAMEAS, 477

GONATAS, NICHOLAS K., GONATAS, JACQUELINE O., STIEBER, ANNA, ANTOINE, JEAN CLAUDE, and AVRAMEAS, STRATIS. Quantitative ultrastructural autoradiographic studies of iodinated plasma membranes of lymphocytes during segregation and internalization of surface immunoglobulins, 477

GOSPODAROWICZ, D., WESEMAN, J., MORAN, J. S., and LINDSTROM, J. Effect of fibroblast growth factor on the division and fusion of bovine myoblasts, 395

GRINNELL, FREDERICK, TOBLEMAN, MARY Q., and HACKENBROCK, CHARLES R. Initial attachment of baby hamster kidney cells to an epoxy substratum. Ultrastructural analysis, 707

H

HACKENBROCK, CHARLES R. See GRINNELL, TOBLEMAN, and HACKENBROCK, 707

HAMMOND, S. A. See TAYLOR, RHODES, and HAMMOND, 123

HARRIS, DAVID C. See COMINGS and HARRIS, 440

HARRIS, MARTIN C. see THEODOSIS, DREIFUSS, HARRIS, and ORCI, 294

HEATH, I. BRENT, and HEATH, MICHÈLE C. Ultrastructure of mitosis in the cowpea rust fungus *Uromyces phaseoli* var *vignae*, 592

HEATH, MICHÈLE C. See HEATH and HEATH, 592

HENKART, MARYANNA, LANDIS, DENNIS M. D., and REESE, T. S. Similarity of junctions between plasma membranes and endoplasmic reticulum in muscle and neurons, 338

HERZOG, V., SIES, H., and MILLER, F. Exocytosis in secretory cells of rat lacrimal gland. Peroxidase release from lobules and isolated cells upon cholinergic stimulation, 692

HOLTZMAN, ERIC. See SCHACHER, HOLTZMAN, and HOOD, 178

HOOBER, J. KENNETH, and STEGEMAN, WILLIAM J. Kinetics and regulation of synthesis of the major polypeptides of thylakoid membranes in *Chlamydomonas reinhardtii y-1* at elevated temperatures, 326

HOOD, DONALD C. See SCHACHER, HOLTZMAN, and HOOD, 178

HUIE, P. See LOCKE and HUIE, 384

I

ILLMENSEE, KARL. See MAHOWALD, ILLMENSEE, and TURNER, 358

J

JAKOI, E. R., ZAMPIGHI, G., and ROBERTSON, J. D. Regular structures in unit membranes. II. Morphological and biochemical characterization of two water-soluble membrane proteins isolated from the suckling rat ileum, 97

—. See ROBERTSON, KNUTTON, LIMBRICK, JAKOI, and ZAMPIGHI, 112

K

KAHN, C. RONALD. Membrane receptors for hormones and neurotransmitters. A review, 261

KARNAKY, KARL J., JR., ERNST, STEPHEN A., and PHILPOTT, CHARLES W. Teleost chloride cell. I. Response of pupfish (*Cyprinodon variegatus*) gill Na,K-ATPase and chloride cell fine structure to various high salinity environments, 144

—, KINTER, LEWIS B., KINTER, WILLIAM B., and STIRLING, CHARLES E. Teleost chloride cell. II. Autoradiographic localization of gill Na,K-ATPase in killifish (*Fundulus heteroclitus*) adapted to low and high salinity environments, 157

KARNOVSKY, MORRIS J. See RODEWALD, NEWMAN, and KARNOVSKY, 541

KIM, KWANG SHIN. See GOLDMAN, KIM, and SCHWARTZ, 304

KINTER, LEWIS B. See KARNAKY, KINTER, KINTER, and STIRLING, 157

KINTER, WILLIAM B. See KARNAKY, KINTER, KINTER, and STIRLING, 157

KLEBANOFF, SEYMOUR J. See CLARK, OLSSON, and KLEBANOFF, 719

KNUTTON, STUART. See ROBERTSON, KNUTTON, LIMBRICK, JAKOI, and ZAMPIGHI, 112

L

LANDIS, DENNIS M. D. See HENKART, LANDIS, and REESE, 338

LEFFERT, H. L., and WEINSTEIN, D. B. Growth control of differentiated fetal rat hepatocytes in primary monolayer culture. IX. Specific inhibition of DNA synthesis initiation by very low density lipoprotein and possible significance to the problem of liver regeneration, 20

LEVKOVITZ, HANNA. See OFER, LEVKOVITZ, and LOYTER, 287

LIMBRICK, A. R. See ROBERTSON, KNUTTON, LIMBRICK, JAKOI, and ZAMPIGHI, 112

LINDSTROM, J. See GOSPODAROWICZ, WESEMAN, MORAN, and LINDSTROM, 395

LOCKE, M., and HUIE, P. The beads in the Golgi complex-endoplasmic reticulum region, 384

LONG, BYRON. See CARDELLI, LONG, and PITOT, 47

LÖNN, U., and EDSTRÖM, J.-E. Mobility restriction in vivo of the heavy ribosomal subunit in a secretory cell, 573

—. See EDSTRÖM and LÖNN, 562

LOYTER, ABRAHAM. See OFER, LEVKOVITZ, and LOYTER, 287

M

MACDONALD, E. D. See RIPPS, SHAKIB, and MACDONALD, 86

MACDONALD, ROBERT C. See MARTIN and MACDONALD, 494, 506, 515

MAHOWALD, ANTHONY P., ILLMENSEE, KARL, and TURNER, F. RUDOLF. Interspecific transplantation of polar plasm between *Drosophila* embryos, 358

MANNING, JERRY E., and WOLSTENHOLME, DAVID R. Replication of kinetoplast DNA of *Crithidia acanthocephali*. I. Density shift experiments using deuterium oxide, 406

MARSH, JULIAN B. See PIETRA, SPAGNOLI, CAPUZZI, SPARKS, FISHMAN, and MARSH, 33

MARTIN, FRANCIS J., and MACDONALD, ROBERT C. Lipid vesicle-cell interactions. I. Hemagglutination and hemolysis, 494

— and —. II. Induction of cell fusion, 506

— and —. III. Introduction of a new antigenic determinant into erythrocyte membranes, 515

MAUL, GERD G. Fibrils attached to the nuclear pore

prevent egress of SV40 particles from the infected nucleus, 714
MELDOLESI, J. See DE CAMILLI, PELUCHETTI, and MELDOLESI, 59
MELLON, MARGARET G., and REBHUN, LIONEL I. Sulfhydryls and the in vitro polymerization of tubulin, 226
MILLER, F. See HERZOG, SIES, and MILLER, 692
MOORE, EDDIE G. Cell-to-substratum adhesion-promoting activity released by normal and virus-transformed cells in culture, 634
MORAN, J. S. See GOSPODAROWICZ, WESEMAN, MORAN, and LINDSTROM, 395

N

NEMETH, ANDREW M. See BANJO and NEMETH, 319
NEWMAN, STEVEN B. See RODEWALD, NEWMAN, and KARNOVSKY, 541
NG, S. K. C. See CHAN, NG, and WALKER, 685
NOONAN, KENNETH D. See VAN VEEN, ROBERTS, and NOONAN, 204

O

OFER, LEA, LEVKOVITZ, HANNA, and LOYTER, ABRAHAM. Conjugation in *Tetrahymena pyriformis*. The effect of polylysine, concanavalin A and bivalent metals on the conjugation process, 287
OLSSON, INGE. See CLARK, OLSSON, and KLEBANOFF, 719
ORCI, LELIO. See THEODOSIS, DREIFUSS, HARRIS, and ORCI, 294

P

PAINTER, RICHARD G. See SHEETZ, PAINTER, and SINGER, 193
PARVINEN, MARTTI. See SÖDERSTRÖM and PARVINEN, 239
PELUCHETTI, D. See DE CAMILLI, PELUCHETTI, and MELDOLESI, 59
PERACCHIA, CAMILLO, and DULHUNTY, ANGELA F. Low resistance junctions in crayfish. Structural changes with functional uncoupling, 419
PHILLIPS, STEPHANIE GORDON, and RATTNER, J. B. Dependence of centriole formation on protein synthesis, 9
PHILPOTT, CHARLES W. See KARNAKY, ERNST, and PHILPOTT, 144
PIETRA, GIUSEPPE G., SPAGNOLI, LUIGI G., CAPUZZI, DAVID M., SPARKS, CHARLES E., FISHMAN, ALFRED P., and MARSH, JULIAN B. Metabolism of ^{125}I-labeled lipoproteins by the isolated rat lung, 33
PITOT, HENRY C. See CARDELLI, LONG, and PITOT, 47

R

RATTNER, J. B. See PHILLIPS and RATTNER, 9
REBHUN, LIONEL. See MELLON and REBHUN, 226
REESE, T. S. See HENKART, LANDIS, and REESE, 338
REPMAN, MARY ANN. See SCHENGRUND, ROSENBERG, and REPMAN, 555
REVILLE, WILLIAM J., GOLL, DARREL E., STROMER, MARVIN H., ROBSON, RICHARD M., and DAYTON, WILLIAM R. A Ca^{2+}-activated protease possibly involved in myofibrillar protein turnover. Subcellular localization of the protease in porcine skeletal muscle, 1
RHODES, J. A. See TAYLOR, RHODES, and HAMMOND, 123
RIPPS, H., SHAKIB, M., and MACDONALD, E. D. Peroxidase uptake by photoreceptor terminals of the skate retina, 86
ROBERTS, R. MICHAEL. See VAN VEEN, ROBERTS, and NOONAN, 204
ROBERTSON, J. DAVID, KNUTTON, STUART, LIMBRICK, A. R., JAKOI, E. R., and ZAMPIGHI, G. Regular structures in unit membranes. III. Further observations on the particulate component of the suckling rat ileum endocytic membrane complex, 112
—. See JAKOI, ZAMPIGHI, and ROBERTSON, 97
ROBSON, RICHARD M. See REVILLE, GOLL, STROMER, ROBSON, and DAYTON, 1
RODEWALD, RICHARD, NEWMAN, STEVEN B., and KARNOVSKY, MORRIS J. Contraction of isolated brush borders from the intestinal epithelium, 541
RODMAN, TOBY C., and BACHVAROVA, ROSEMARY. RNA synthesis in preovulatory mouse oocytes, 251
ROSENBERG, ABRAHAM. See SCHENGRUND, ROSENBERG, and REPMAN, 555
RUBIN, HARRIS, and TRELEASE, RICHARD N. Subcellular localization of glyoxylate cycle enzymes in *Ascaris suum* larvae, 374

S

SASAKI, SADAO, and TASHIRO, YUTAKA. Studies on the posterior silk gland of the silkworm, *Bombyx mori*. V. Electron microscope localization of fibroin in the posterior silk gland at the later stage of the fifth instar, 648
SCHACHER, SAMUEL, HOLTZMAN, ERIC, and HOOD, DONALD C. Synaptic activity of frog retinal photoreceptors. A peroxidase uptake study, 178
SCHENGRUND, CARA-LYNNE, ROSENBERG, ABRAHAM, and REPMAN, MARY ANN. Ecto-ganglioside-sialidase activity of herpes simplex virus-transformed hamster embryo fibroblasts, 555
SCHLIWA, MANFRED. The role of divalent cations in the regulation of microtubule assembly. In vivo studies on microtubules of the heliozoan axopodium using the ionophore A23187, 527
SCHWARTZ, JAMES H. See GOLDMAN, KIM, and SCHWARTZ, 304
SHAKIB, M. See RIPPS, SHAKIB, and MACDONALD, 86
SHEETZ, MICHAEL P., PAINTER, RICHARD G., and SINGER, S. J. Biological membranes as bilayer couples. III. Compensatory shape changes induced in membranes, 193
— and SINGER, S. J. Equilibrium and kinetic effects of drugs on the shapes of human erythrocytes, 247
SIES, H. See HERZOG, SIES, and MILLER, 692
SIMIONESCU, MAIA. See SIMIONESCU and SIMIONESCU, 608, 622
SIMIONESCU, NICOLAE, and SIMIONESCU, MAIA. Gal-

loylglucoses of low molecular weight as mordant in electron microscopy. I. Procedure, and evidence for mordanting effect, 608
– and –. II. The moiety and functional groups possibly involved in the mordanting effect, 622
SINGER, S. J. See SHEETZ, PAINTER, and SINGER, 193
–. See SHEETZ and SINGER, 247
SLUDER, GREENFIELD. Experimental manipulation of the amount of tubulin available for assembly into the spindle of dividing sea urchin eggs, 75
SÖDERSTRÖM, KARL-OVE, and PARVINEN, MARTTI. Incorporation of [^{3}H]uridine by the chromatoid body during rat spermatogenesis, 239
SPAGNOLI, LUIGI G. See PIETRA, SPAGNOLI, CAPUZZI, SPARKS, FISHMAN, and MARSH, 33
SPARKS, CHARLES E. See PIETRA, SPAGNOLI, CAPUZZI, SPARKS, FISHMAN, and MARSH, 33
STEGEMAN, WILLIAM J. See HOOBER and STEGEMAN, 326
STIEBER, ANNA. See GONATAS, GONATAS, STIEBER, ANTOINE, and AVRAMEAS, 477
STIRLING, CHARLES E. See KARNAKY, KINTER, KINTER, and STIRLING, 157
STROMER, MARVIN H. See REVILLE, GOLL, STROMER, ROBSON, and DAYTON, 1
SZEKELY, JOSEPH G., and COPPS, THEODORE P. Radiation-induced delay of nuclear pore formation, 466

T

TASHIRO, YUTAKA. See SASAKI and TASHIRO, 648
TAYLOR, D. L., RHODES, J. A., and HAMMOND, S. A. The contractile basis of amoeboid movement. II. Structure and contractility of motile extracts and plasmalemma-ectoplasm ghosts, 123
TEDESCHI, HENRY. See BOWMAN, TEDESCHI, DIDOMENICO, and TUNG, 348
THEODOSIS, DENNISE T., DREIFUSS, JEAN JACQUES, HARRIS, MARTIN C., and ORCI, LELIO. Secretion-related uptake of horseradish peroxidase in neurohypophyseal axons, 294
TOBLEMAN, MARY Q. See GRINNELL, TOBLEMAN, and HACKENBROCK, 707
TRELEASE, RICHARD N. See RUBIN and TRELEASE, 374
TUNG, FRED. See BOWMAN, TEDESCHI, DIDOMENICO, and TUNG, 348
TURNER, F. RUDOLF. See MAHOWALD, ILLMENSEE, and TURNER, 358

V

VAN VEEN, JACQUES, ROBERTS, R. MICHAEL, and NOONAN, KENNETH D. An analysis of lectin-initiated cell agglutination in a series of CHO subclones which respond morphologically to growth in dibutyryl cyclic AMP, 204

W

WALKER, I. G. See CHAN, NG, and WALKER, 685
WEINSTEIN, D. B. See LEFFERT and WEINSTEIN, 20
WESEMAN, J. See GOSPODAROWICZ, WESEMAN, MORAN, and LINDSTROM, 395
WHITLOCK, JAMES P., JR., GELBOIN, HARRY V., and COON, HAYDEN G. Variation in aryl hydrocarbon (benzo[*a*]pyrene) hydroxylase activity in heteroploid and predominantly diploid rat liver cells in culture, 217
WOLSTENHOLME, DAVID R. See MANNING and WOLSTENHOLME, 406

Z

ZAMPIGHI, G. See JAKOI, ZAMPIGHI, and ROBERTSON, 97
–. See ROBERTSON, KNUTTON, LIMBRICK, JAKOI, and ZAMPIGHI, 112

INDEX TO SUBJECTS

A

Acinar cells, rat parotid gland, effect of isoproterenol on luminal plasmalemma, freeze-fracture EM study, 59

Adenylate cyclase activity, Golgi and endoplasmic reticulum membranes, rat liver, biochemical and cytochemical EM study, 671

– cyclase activity, Golgi and other fractions, rat liver, biochemical study, 660

Adhesion-promoting activity, cell-to-substratum, release by cultured fibroblasts, biochemical and cytological study, 634

β-Adrenergic and cholinergic neurotransmitters, and peptide hormones, membrane receptors, review article, 261

Agglutination, lectin-initiated, CHP subclones, growth response to dibutyryl cyclic AMP, cytological study, 204

Alga *Chlamydomonas reinhardtii y-1*, thylakoid membranes, major polypeptide synthesis at elevated temperatures, biochemical study, 326

AMP, cyclic dibutyryl, growth response of CHO subclones, lectin-initiated agglutination, cytological study, 204

Amphioxus *Branchiostoma californiensis*, muscle, and mouse cerebellar neurons, junctions between plasma membranes and endoplasmic reticulum, freeze-fracture EM study, 338

Antigen introduction into human erythrocyte membrane, interaction with lipid vesicles, immunological and light and EM study, 515

Aryl hydrocarbon (benzo[*a*]pyrene) hydroxylase activity, heteroploid and diploid rat liver cells, biochemical study, 217

Attachment, baby hamster kidney cells to epoxy substratum, EM study, 707

Axon, giant cerebral neuron, *Aplysia californica*, serotonin transport, biochemical and light and autoradiographic EM study, 304

– lateral giant, crayfish, low resistance junctions, structural changes with functional uncoupling, freeze-fracture EM study, 419

–, neurohypophysis, rat, secretion-related uptake of horseradish peroxidase, cytological EM study, 294

Axopodia, heliozoan, role of divalent cations in microtubule assembly, use of ionophore A23187, light and EM study, 527

B

Beads, Golgi complex/endoplasmic reticulum region, *Calpodes ethlius*, light and EM study, 384

Bilayer couple hypothesis, effects of drugs on human erythrocyte shape, scanning EM study, 247

– couples, erythrocyte and lymphocyte membranes, compensatory shape changes, immunological and scanning EM study, 193

Brain, pig or rabbit, sulfhydryls and in vitro polymerization of tubulin, biochemical and EM study, 226

Brush border contraction, rat small intestine epithelium, light and EM study, 541

C

Calcium and magnesium-ATP, role in structure and contractility, amoeboid motile extracts and plasmalemma-ectoplasm ghosts, biochemical and light and EM study, 123

Calcium-activated protease, role in myofibrillar protein turnover, subcellular localization, porcine skeletal muscle, biochemical study, 1

Cations, divalent, role in microtubule assembly, heliozoan axopodia, use of ionophore A23187, light and EM study, 527

Cells, baby hamster kidney, initial attachment to epoxy substratum, EM study, 707

–, bovine myoblasts, division and fusion, effect of fibroblast growth factor, biochemical and cytological study, 395

–, chicken, mouse, and rat fibroblasts, cell-to-substratum adhesion-promoting activity, biochemical and cytological study, 634

–, Chinese hamster V79, radiation-induced delay of nuclear pore formation, freeze-etch EM study, 466

–, CHO subclones, growth response to dibutyryl cyclic AMP, lectin-initiated agglutination, cytological study, 204

–, Ehrlich ascites tumor, rabbit kidney, KB, and VERO, interaction with lipid vesicles, induction of fusion, cytological and light and EM study, 506

–, fetal rat hepatocytes, very low density lipoprotein inhibition of DNA synthesis initiation, liver regeneration, biochemical and cytological study, 20

–, herpes simplex virus-transformed hamster embryo fibroblasts, ganglioside-sialidase activity, biochemical study, 555

–, L6 rat myoblasts, reduced DNA repair during differentiation, biochemical study, 685

–, L929 fibroblasts, dependence of centriole formation on protein synthesis, biochemical and cytological and EM study, 9

–, monkey kidney CV1, nuclear pore fibrils, prevention of egress of SV40 particles, EM study, 714

–, rat liver heteroploid and diploid, aryl hydrocarbon (benzo[*a*]pyrene) hydroxylase activity, biochemical study, 217

–, secretory, rat lacrimal gland, peroxidase exocytosis, cholinergic stimulation, biochemical and light and EM study, 692

– , vascular endothelial, intermediate filament bundles in perinuclear region, mobilization by Colcemid and mitosis, light and EM study, 459
Centriole formation, dependence on protein synthesis, L929 cells, biochemical and cytological and EM study, 9
Chick embryo, liver, proliferation of endoplasmic reticulum and UDP-glucuronyltransferase, effect of phenobarbital, biochemical and EM study, 319
Chloride cell, killifish gill, localization of Na,K-ATPase, autoradiographic and biochemical and EM study, 157
– cell, pupfish gill Na,K-ATPase, effect of high salinity, biochemical and light and EM study, 144
Cholinergic and β-adrenergic neurotransmitters, and peptide hormones, membrane receptors, review article, 261
– stimulation, peroxidase exocytosis, rat lacrimal gland secretory cells, biochemical and light and EM study, 692
Chromatin and nuclear sap, similarity of nonhistone proteins, mouse liver, biochemical study, 440
Chromatoid body uridine incorporation, rat spermatogenesis, cytological and autoradiographic EM study, 239
Colcemid, effect on tubulin, spindle microtubule assembly, sea urchin eggs, cytological study, 75
– , mobilization of intermediate filament bundles, perinuclear region of vascular endothelial cells, light and EM study, 459
Concanavalin A, effect on conjugation, *Tetrahymena pyriformis*, biochemical and cytological study, 287
Conjugation, *Tetrahymena pyriformis*, effect of polylysine, concanavalin A, and bivalent metals, biochemical and cytological study, 287
Crayfish *Orconectus*, digestive gland and X organ, beads in Golgi complex and endoplasmic reticulum region, light and EM study, 384
– *Procambarus clarkii*, lateral giant axon, low resistance junctions, structural changes with functional uncoupling, freeze-fracture EM study, 419
Cycloheximide and protein synthesis, effect on centriole formation, L929 cells, biochemical and cytological and EM study, 9
Cytoplasm zone analysis, RNA flow, *Chironomus tentans* salivary glands, biochemical study, 562

D

Density shift with deuterium oxide, kinetoplast DNA replication, *Crithidia acanthocephali*, biochemical and EM study, 406
Deuterium oxide and density shift, kinetoplast DNA replication, *Crithidia acanthocephali*, biochemical and EM study, 406
Diamide, inhibition of brain tubulin polymerization, effect on sulfhydryls, biochemical and EM study, 226
Differentiation, myogenic cell line, reduced DNA repair, biochemical study, 685
DNA repair, differentiation of myogenic cell line, biochemical study, 685
– replication, *Crithidia acanthocephali* kinetoplast, deuterium oxide and density shift, biochemical and EM study, 406
– synthesis initiation, inhibition by very low density lipoprotein, fetal rat hepatocytes, biochemical and cytological study, 20
Drugs, equilibrium and kinetic effects on human erythrocyte shape, scanning EM study, 247

E

Eggs, sea urchin, cellular tubulin in assembly of spindle microtubules, cytological study, 75
Electrical uncoupling and structural changes, low resistance junctions, crayfish axon, freeze-fracture EM study, 419
Electron microscopy, method for freeze-fracture autoradiography, 453
– microscopy mordant, low molecular weight galloylglucoses, functional groups, 622
– microscopy mordant, low molecular weight galloylglucoses, procedure for use, 608
Embryo, *Drosophila melanogaster* and *D. immigrans*, interspecific transplantation of polar plasm, histochemical and EM study, 374
Endocytic complex, suckling rat ileum, membrane particulate component, EM study, 112
– complex, suckling rat ileum, two water-soluble membrane proteins, biochemical and EM study, 97
Endoplasmic reticulum and Golgi complex region, beads, *Calpodes ethlius*, light and EM Study, 384
– reticulum and Golgi membranes, rat liver, adenylate cyclase activity, biochemical and cytochemical EM study, 671
– reticulum membrane, rat liver, direct association of messenger RNA, biochemical study, 47
– reticulum and plasma membrane, junction similarity, amphioxus muscle and mouse neurons, freeze-fracture EM study, 338
– reticulum and UDP-glucuronyltransferase proliferation, chick embryo liver, effect of phenobarbital, biochemical and EM study, 319
Enzyme, adenylate cyclase activity, Golgi and endoplasmic reticulum membranes, rat liver, biochemical and cytochemical EM study, 671
– , adenylate cyclase activity, Golgi and other fractions, rat liver, biochemical study, 660
– , aryl hydrocarbon (benzo[*a*]pyrene) hydroxylase activity, heteroploid and diploid rat liver cells, biochemical study, 217
– , Na,K-ATPase, killifish gill chloride cell, localization of sodium pump, autoradiographic and biochemical and EM study, 157
– , Na,K-ATPase, pupfish gill chloride cell, effect of high salinity, biochemical and light and EM study, 144
– , protease, calcium-activated, role in myofibrillar protein turnover, subcellular localization, porcine skeletal muscle, biochemical study, 1
– , sialidase, and ganglioside activity, herpes simplex virus-transformed fibroblasts, biochemical study, 555
– , UDP-glucuronyltransferase, and endoplasmic reticulum proliferation, chick embryo liver, effect of phenobarbital, biochemical and EM study, 319
Enzymes, glyoxylate cycle, subcellular localization, *Ascaris suum* larvae, biochemical and EM study, 374
Epithelium, rat small intestine, brush border contrac-

tion, light and EM study, 541
Epoxy substratum, initial attachment of baby hamster kidney cells, EM study, 707
Erythrocyte ghosts, human, freeze-fracture autoradiography, 453
Erythrocytes, human, equilibrium and kinetic effects of drugs on shapes of, scanning EM study, 247
–, human, interaction with lipid vesicles, hemagglutination and hemolysis, biochemical and light and EM study, 494
–, human, interaction with lipid vesicles, introduction of antigenic determinant into membranes, immunological and light and EM study, 515
–, human, membrane compensatory shape changes, bilayer couples, immunological and scanning EM study, 193
–, human and rooster, interaction with lipid vesicles, induction of fusion, cytological and light and EM study, 506
Exocytosis, peroxidase, rat lacrimal gland secretory cells, cholinergic stimulation, biochemical and light and EM study, 692
Eye, frog, photoreceptor synaptic activity, peroxidase uptake, cytochemical EM study, 178
–, skate, photoreceptor terminals, peroxidase uptake, cytochemical EM study, 86

F

Factor, fibroblast growth, effect on division and fusion of bovine myoblasts, biochemical and cytological study, 395
Fibriles, nuclear pore, prevention of SV40 particle egress from CV1 cell nucleus, EM study, 714
Fibroblast growth factor, effect on division and fusion of bovine myoblasts, biochemical and cytological study, 395
Fibroin localization, silkworm posterior silk gland, fifth instar later stage, biochemical and immunological EM study, 648
Filament bundles, intermediate, perinuclear region of vascular endothelial cells, mobilization by Colcemid and mitosis, light and EM study, 459
Frog *Rana pipiens*, eye, synaptic activity of retinal photoreceptors, peroxidase uptake, cytochemical EM study, 178
Fungus, cowpea rust *Uromyces phaseoli*, ultrastructure of mitosis, EM study, 592
Fusion induction, lipid vesicle interaction with erythrocytes and cultured cells, cytological and light and EM study, 506

G

Galloylglucoses, low molecular weight, EM mordant, functional groups, 622
–, low molecular weight, EM mordant, procedure for use, 608
Ganglioside and sialidase activity, herpes simplex virus-transformed fibroblasts, biochemical study, 555
Ghosts, plasmalemma-ectoplasm, *Chaos carolinensis*, structure and contractility, biochemical and light and EM study, 123
Gill, killifish, chloride cell, localization of Na,K-ATPase, autoradiographic and biochemical and EM study, 157
–, pupfish, chloride cell Na,K-ATPase, effect of high salinity, biochemical and light and EM study, 144
Glycoprotein membrane receptors, peptide hormones, cholinergic and β-adrenergic neurotransmitters, review article, 261
Glyoxylate cycle enzymes, subcellular localization, *Ascaris suum* larvae, biochemical and EM study, 374
Golgi complex and endoplasmic reticulum region, beads, *Calpodes ethlius*, light and EM study, 384
– and endoplasmic reticulum membranes, rat liver, adenylate cyclase activity, biochemical and cytochemical EM study, 671
– and other fractions, rat liver, adenylate cyclase activity, biochemical study, 660
Granules, human neutrophils, cytotoxicity for tumor cells of cationic proteins, biochemical study, 719
Growth control, fetal rat hepatocytes, very low density lipoprotein inhibition of DNA synthesis initiation, biochemical and cytological study, 20
– factor, fibroblast, effect on division and fusion of bovine myoblasts, biochemical and cytological study, 395
– response to dibutyryl cyclic AMP, CHO subclones, lectin-initiated agglutination, cytological study, 204

H

Hamster, neurohypophysis, axons, secretion-related uptake of horseradish peroxidase, cytological EM study, 294
Heliozoan *Actinosphaerium eichhorni*, axopodia, role of divalent cations in microtubule assembly, use of ionophore A23187, light and EM study, 527
Hemagglutination and hemolysis, lipid vesicle-erythrocyte interactions, biochemical and light and EM study, 494
Hemolysis and hemagglutination, lipid vesicle-erythrocyte interactions, biochemical and light and EM study, 494
Hormones, neurohypophyseal, rat, axon uptake of horseradish peroxidase during secretion, cytological EM study, 294
–, peptide, and neurotransmitters, membrane receptors, review article, 261
Human erythrocytes, equilibrium and kinetic effects of drugs on shapes of, scanning EM study, 247
–, erythrocytes, interaction with lipid vesicles, hemagglutination and hemolysis, biochemical and light and EM study, 494
–, erythrocytes, interaction with lipid vesicles, introduction of antigenic determinant into membranes, immunological and light and EM study, 515
–, neutrophil granules, cytotoxicity for tumor cells of cationic proteins, biochemical study, 719
– and rooster erythrocytes, interaction with lipid vesicles, induction of fusion, cytological and light and EM study, 506

I

Ileum, suckling rat, particulate component of endocytic membrane complex, EM study, 112

–, suckling rat, two water-soluble membrane proteins, biochemical and EM study, 97
Immunoglobulin segregation and internalization, rat spleen lymphocyte plasma membranes, biochemical and autoradiographic and cytochemical EM study, 477
Insect *Calpodes ethlius* and *Tenebrio* larvae, and *Locusta,* beads in Golgi complex/endoplasmic reticulum region, light and EM study, 384
– *Chironomus tentans* instar larvae, salivary glands, mobility restriction in vivo of heavy ribosomal subunit, biochemical study, 573
– *Chironomus tentans* instar larvae, salivary glands, RNA flow, cytoplasmic zone analysis, biochemical study, 562
– *Drosophila melanogaster* and *D. immigrans,* embryo, interspecific transplantation of polar plasm, histochemical and EM study, 358
Intestine, small, rat, epithelial brush border contraction, light and EM study, 541
Ionophore A23187, effect on microtubule assembly, heliozoan axopodia, role of divalent cations, light and EM study, 527
Isoproterenol stimulation of rat parotid gland acinar cells, effect on luminal plasmalemma, freeze-fracture EM study, 59

J

Junctions, low resistance, crayfish axon, structural changes with functional uncoupling, freeze-fracture EM study, 419
–, plasma membranes and endoplasmic reticulum, amphioxus muscle and mouse neurons, freeze-fracture EM study, 338

K

Killifish *Fundulus heteroclitus,* gill chloride cells, localization of Na,K-ATPase, autoradiographic and biochemical and EM study, 157
Kinetoplast DNA replication, *Crithidia acanthocephali,* deuterium oxide and density shift, biochemical and EM study, 406

L

Lacrimal gland, rat, exocytosis of peroxidase in secretory cells, cholinergic stimulation, biochemical and light and EM study, 692
Lamina-pore complex fraction, isolation from rat liver nuclei, biochemical and EM study, 581
Larvae, *Ascaris suum,* subcellular localization of glyoxylate cycle enzymes, biochemical and EM study, 374
Lectin effect on agglutination, CHO subclones, growth response to dibutyryl cyclic AMP, cytological study, 204
Lipid vesicles, interaction with erythrocytes and cultured cells, induction of fusion, cytological and light and EM study, 506
– vesicles, interaction with erythrocytes, hemagglutination and hemolysis, biochemical and light and EM study, 494
– vesicles, interaction with erythrocytes, introduction of antigenic determinant into membranes, immunological and light and EM study, 515
Lipoprotein metabolism, rat lung, biochemical and light and EM autoradiographic study, 33
–, very low density, inhibition of DNA synthesis initiation, fetal rat hepatocytes, biochemical and cytological study, 20
Liver, chick embryo, proliferation of endoplasmic reticulum and UDP-glucuronyltransferase, effect of phenobarbital, biochemical and EM study, 319
–, mouse, nucleus, nonhistone protein similarity in nuclear sap and chromatin, absence of contractile proteins, biochemical study, 440
–, rat, adenylate cyclase activity, Golgi and endoplasmic reticulum membranes, biochemical and cytochemical EM study, 671
–, rat, adenylate cyclase activity, Golgi and other fractions, biochemical study, 660
–, rat, messenger RNA association with endoplasmic reticulum membranes, biochemical study, 47
–, rat, mitochondria, osmotically lysed, osmotic behavior and permeability, biochemical and EM study, 348
–, rat, nucleus, isolation of pore complex-lamina fraction, biochemical and EM study, 581
– regeneration, very low density lipoprotein inhibition of DNA synthesis initiation, fetal rat hepatocytes, biochemical and cytological study, 20
Lung, rat, lipoprotein metabolism, biochemical and light and EM autoradiographic study, 33
Lymphocytes, mouse, membrane compensatory shape changes, bilayer couples, immunological and scanning EM study, 193
–, rat spleen, plasma membranes during segregation and internalization of surface immunoglobulins, biochemical and autoradiographic and cytochemical EM study, 477

M

Magnesium-ATP and calcium, role in structure and contractility, amoeboid motile extracts and plasmalemma-ectoplasm ghosts, biochemical and light and EM study, 123
Membrane, endoplasmic reticulum, rat liver, direct association of messenger RNA, biochemical study, 47
–, erythrocytes and lymphocytes, compensatory shape changes, bilayer couples, immunological and scanning EM study, 193
–, Golgi and endoplasmic reticulum, rat liver, adenylate cyclase activity, biochemical and cytochemical EM study, 671
–, human erythrocytes, interaction with lipid vesicles, introduction of antigenic determinant, immunological and light and EM study, 515
– organization, freeze-fracture autoradiography, 453
– particulate component, suckling rat ileum endocytic complex, EM study, 112
–, plasma, and endoplasmic reticulum, junction similarity, amphioxus muscle and mouse neurons, freeze-fracture EM study, 338
–, plasma, rat spleen lymphocytes, segregation and internalization of surface immunoglobulins, biochemical and autoradiographic and cytochemical EM study, 477
– proteins, water-soluble, isolation from suckling rat ileum, biochemical and EM study, 97
– receptors, peptide hormones, cholinergic and β-adre-

nergic neurotransmitters, review article, 261
–, thylakoid, *Chlamydomonas reinhardtii y-1*, major polypeptide synthesis at elevated temperatures, biochemical study, 326
Metals, bivalent, effect on conjugation, *Tetrahymena pyriformis*, biochemical and cytological study, 287
Methochlorpromazine, equilibrium and kinetic effects on human erythrocyte shape, scanning EM study, 247
Microtubule assembly, heliozoan axopodia, role of divalent cations, use of ionophore A23187, light and EM study, 527
Microtubules, sea urchin eggs, tubulin in spindle assembly, cytological study, 75
Mitochondria, osmotically lysed, rat liver, osmotic behavior and permeability, biochemical and EM study, 348
Mitosis, mobilization of intermediate filament bundles, perinuclear region of vascular endothelial cells, light and EM study, 459
–, ultrastructure of, cowpea rust fungus, EM study, 592
Mobility restriction in vivo of heavy ribosomal subunit, *Chironomus tentans* salivary gland, biochemical study, 573
Mollusc *Aplysia californica*, giant cerebral neuron, axonal transport of serotonin, biochemical and light and autoradiographic study, 304
Mordant, electron microscopy, low molecular weight galloylglucoses, functional groups, 622
–, electron microscopy, low molecular weight galloylglucoses, procedure for use, 608
Motile extracts, *Amoeba proteus*, structure and contractility, biochemical and light and EM study, 123
Mouse, cerebellar neurons, and amphioxus muscle, junctions between plasma membranes and endoplasmic reticulum, freeze-fracture EM study, 338
–, liver nucleus, nonhistone protein similarity in nuclear sap and chromatin, absence of contractile proteins, biochemical study, 440
–, oocytes, preovulatory, RNA synthesis, autoradiographic study, 251
Muscle, amphioxus, and mouse cerebellar neurons, junctions between plasma membranes and endoplasmic reticulum, freeze-fracture EM study, 338
–, skeletal, pig, calcium-activated protease, role in myofibrillar protein turnover, subcellular localization, biochemical study, 1

N

Neurohypophysis, axons, rat, secretion-related uptake of horseradish peroxidase, cytological EM study, 294
Neuron, giant cerebral, *Aplysia californica*, axonal transport of serotonin, biochemical and light and autoradiographic EM study, 304
–, mouse cerebellar, and amphioxus muscle, junctions between plasma membranes and endoplasmic reticulum, freeze-fracture EM study, 338
Neurotransmitters, cholinergic and β-adrenergic, and peptide hormones, membranes receptors, review article, 261
Neutrophils, human, granules, cytotoxicity for tumor cells of cationic proteins, biochemical study, 719
Nucleoplasm and chromatin, similarity of nonhistone proteins, mouse liver, biochemical study, 440
Nucleus, Chinese hamster V79 cells, radiation-induced delay of pore formation, freeze-etch EM study, 466
–, CV1 cells, prevention of SV40 particle egress by nuclear pore fibrils, EM study, 714
–, mouse liver, nonhistone protein similarity in nuclear sap and chromatin, absence of contractile proteins, biochemical study, 440
–, rat liver, isolation of pore complex-lamina fraction, biochemical and EM study, 581
Nucleus-associated organelles, cowpea rust fungus, ultrastructure of mitosis, EM study, 592

O

Oocytes, mouse, preovulatory, RNA synthesis, autoradiographic study, 251
Organelle, nucleus-associated, cowpea rust fungus, ultrastructure of mitosis, EM study, 592
Osmotic behavior and permeability of osmotically lysed rat liver mitochondria, biochemical and EM study, 348

P

Parotid gland acinar cells, rat, effect of isoproterenol stimulation on luminal plasmalemma, freeze-fracture EM study, 59
Particles, suckling rat ileum endocytic membrane complex, EM study, 112
Peptide hormones and neurotransmitters, membrane receptors, review article, 261
Perinuclear region, vascular endothelial cells, intermediate filament bundles, mobilization by Colcemid and mitosis, light and EM study, 459
Permeability and osmotic behavior of osmotically lysed rat liver mitochondria, biochemical and EM study, 348
Peroxidase exocytosis, rat lacrimal gland secretory cells, cholinergic stimulation, biochemical and light and EM study, 692
–, horseradish, secretion-related uptake, rat neurohypophyseal axons, cytological EM study, 294
– uptake, frog retina, photoreceptor synaptic activity, cytochemical EM study, 178
– uptake, skate retina photoreceptor terminals, cytochemical EM study, 86
Phenobarbital, effect on proliferation of endoplasmic reticulum and UDP-glucuronyltransferase, chick embryo liver, biochemical and EM study, 319
Photoreceptor synaptic activity, frog eye, peroxidase uptake, cytochemical EM study, 178
– terminals, skate eye, peroxidase uptake, cytochemical EM study, 86
Pig, brain, sulfhydryls and in vitro polymerization of tubulin, biochemical and EM study, 226
–, skeletal muscle, calcium-activated protease, role in myofibrillar protein turnover, subcellular localization, biochemical study, 1
Plasm, polar, interspecific transplantation, *Drosophila* embryos, histochemical and EM study, 358
Plasmalemma, luminal, rat parotid gland acinar cells, effect of isoproterenol stimulation, freeze-fracture EM study, 59
Polar plasm, interspecific transplantation, *Drosophila*

embryos, histochemical and EM study, 358
Polylysine, effect on conjugation, *Tetrahymena pyriformis*, biochemical and cytological study, 287
Polypeptide synthesis, *Chlamydomonas reinhardtii y-1* thylakoid membranes, effect of elevated temperatures, biochemical study, 326
Pore complex-lamina fraction, isolation from rat liver nuclei, biochemical and EM study, 581
–, nuclear, fibril prevention of SV40 particle egress from CV1 cell nucleus, EM study, 714
–, nuclear, radiation-induced delay of formation, Chinese hamster V79 cells, freeze-etch EM study, 466
Protease, calcium-activated, role in myofibrillar protein turnover, subcellular localization, porcine skeletal muscle, biochemical study, 1
Protein, cationic, human neutrophil granules, cytotoxicity for tumor cells, biochemical study, 719
–, nonhistone, similarity in nuclear sap and chromatin, mouse liver, biochemical study, 440
– turnover, myofibrillar, role of calcium-activated protease, porcine skeletal muscle, biochemical study, 1
– synthesis, role in centriole formation, L929 cells, biochemical and cytological and EM study, 9
–, water-soluble, isolation from suckling rat ileum membrane, biochemical and EM study, 97
Protozoa *Amoeba proteus* and *Chaos carolinensis*, motile extracts and plasmalemma-ectoplasm ghosts, structure and contractility, biochemical and light and EM study, 123
Protozoan *Crithidia acanthocephali*, kinetoplast DNA replication, deuterium oxide and density shift, biochemical and EM study, 406
– *Tetrahymena pyriformis*, conjugation, effect of polylysine, concanavalin A, and bivalent metals, biochemical and cytological study, 287
Pupfish *Cyprinodon variegatus*, gill chloride cells, Na,K-ATPase, effect of high salinity, biochemical and light and EM study, 144

R

Rabbit, brain, sulfhydryls and in vitro polymerization of tubulin, biochemical and EM study, 226
Radiation, induced delay of nuclear pore formation, Chinese hamster V79 cells, freeze-etch EM study, 466
Radioactive label, [^{14}C]carboxydextran, [^{14}C]carboxyinulin, [^{14}C]glycerol, and [^{14}C]sucrose, osmotic behavior and permeability of osmotically lysed rat liver mitochondria, biochemical and EM study, 348
– label, [^{14}C]glycerol and [^{3}H]uridine, *Chironomus tentans* salivary glands, RNA flow, cytoplasmic zone analysis, biochemical study, 562
– label, [^{14}C]glycine, [^{3}H]amino acids, [^{3}H]glycerol, and [^{125}I]sodium iodide, rat lung lipoprotein metabolism, biochemical and light and EM autoradiographic study, 33
– label, [^{14}C]inulin and [^{3}H]ouabain, localization of killifish gill chloride cell Na,K-ATPase, autoradiographic and biochemical and EM study, 157
– label, [^{14}C]leucine, dependence of centriole formation on protein synthesis, L929 cells, biochemical and cytological and EM study, 9
– label, [^{51}Cr]sodium chromate, human neutrophil granules, cationic proteins, cytotoxicity for tumor cells, biochemical study, 719
– label, [^{3}H]acetic anhydride, effect of polylysine, concanavalin A, and bivalent metals on conjugation, *Tetrahymena pyriformis*, biochemical and cytological study, 287
– label, [^{3}H]arginine, [^{3}H]glucose and [^{3}H]thymidine, growth control of fetal rat hepatocytes, very low density lipoprotein inhibition of DNA synthesis initiation, biochemical and cytological study, 20
– label, [^{3}H]hydroxytryptophan and [^{3}H]serotonin, axonal transport of serotonin, *Aplysia californica* giant cerebral neuron, biochemical and light and autoradiographic EM study, 304
– label, [^{3}H]leucine, *Chlamydomonas reinhardtii y-1* thylakoid membranes, major polypeptide synthesis at elevated temperatures, biochemical study, 326
– label, [^{3}H]orotic acid, [^{3}H]polyA and [^{3}H]polyU, messenger RNA association with rat liver endoplasmic reticulum membrane, biochemical study, 47
– label, [^{3}H]thymidine and [^{125}I]bungarotoxin, effect of fibroblast growth factor on division and fusion of bovine myoblasts, biochemical and cytological study, 395
– label, [^{3}H]thymidine, and [^{32}P]orthophosphate, reduced DNA repair during differentiation, L6 myoblasts, biochemical study, 685
– label, [^{3}H]uridine, mobility restriction in vivo of heavy ribosomal subunit, *Chironomus tentans* salivary gland, biochemical study, 573
– label, [^{3}H]uridine, rat spermatogenesis, uridine incorporation by chromatoid body, cytological and autoradiographic EM study, 239
– label, [^{3}H]uridine, RNA synthesis, preovulatory mouse oocytes, autoradiographic study, 251
– label, [^{125}I]fibroin, fibroin localization, silkworm posterior silk gland, fifth instar later stage, biochemical and immunological EM study, 648
– label, [^{125}I]lactoperoxidase, lymphocyte plasma membranes during segregation and internalization of surface immunoglobulins, biochemical and autoradiographic and cytochemical EM study, 477
– label, [^{125}I]sodium iodide, method for freeze-fracture autoradiography, 453
Rat, lacrimal gland, exocytosis of peroxidase in secretory cells, cholinergic stimulation, biochemical and light and EM study, 692
–, liver, adenylate cyclase activity, Golgi and endoplasmic reticulum membranes, biochemical and cytochemical EM study, 671
–, liver, adenylate cyclase activity, Golgi and other fractions, biochemical study, 660
–, liver, messenger RNA association with endoplasmic reticulum membranes, biochemical study, 47
–, liver, mitochondria, osmotically lysed, osmotic behavior and permeability, biochemical and EM study, 348
–, liver nucleus, isolation of pore complex-lamina fraction, biochemical and EM study, 581
–, lung, lipoprotein metabolism, biochemical and light and EM autoradiographic study, 33
–, neurohypophysis, axons, secretion-related uptake of horseradish peroxidase, cytological EM study, 294
–, parotid gland acinar cells, effect of isoproterenol

stimulation on luminal plasmalemma, freeze-fracture EM study, 59
–, small intestine, epithelial brush border contraction, light and EM study, 541
–, spermatogenesis, uridine incorporation by chromatoid body, cytological and autoradiographic EM study, 239
–, spleen lymphocytes, plasma membranes during segregation and internalization of surface immunoglobulins, biochemical and autoradiographic and cytochemical EM study, 477
–, suckling, ileum, particulate component of endocytic membrane complex, EM study, 112
–, suckling, ileum, two water-soluble membrane proteins, biochemical and EM study, 97
–, tissues, low molecular weight galloylglucoses, EM mordant, functional groups, 622
–, tissues and organs, low molecular weight galloylglucoses, EM mordant, procedure for use, 608
Receptors, membrane, peptide hormones, cholinergic and β-adrenergic neurotransmitters, review article, 261
Retina, frog, photoreceptor synaptic activity, peroxidase uptake, cytochemical EM study, 178
–, skate, photoreceptor terminals, peroxidase uptake, cytochemical EM study, 86
Ribosome, heavy subunit, in vivo mobility restriction, *Chironomus tentans* salivary gland, biochemical study, 573
RNA flow, cytoplasmic zone analysis, *Chironomus tentans* salivary glands, biochemical study, 562
–, messenger, association with rat liver endoplasmic reticulum membrane, biochemical study, 47
– synthesis, preovulatory mouse oocytes, autoradiographic study, 251

S

Salinity, effect on killifish gill chloride cell Na,K-ATPase, localization of sodium pump, autoradiographic and biochemical and EM study, 157
–, effect on pupfish gill chloride cell Na,K-ATPase, biochemical and light and EM study, 144
Salivary glands, *Chironomus tentans*, mobility restriction in vivo of heavy ribosomal subunit, biochemical study, 573
– glands, *Chironomus tentans*, RNA flow, cytoplasmic zone analysis, biochemical study, 562
Sea urchin *Lytechinus variegatus*, eggs, cellular tubulin in assembly of spindle microtubules, cytological study, 75
Serotonin transport, axonal, *Aplysia californica* giant cerebral neuron, biochemical and light and autoradiographic EM study, 304
Shape changes, compensatory, erythrocyte and lymphocyte membranes, bilayer couples, immunological and scanning EM study, 193
Sialidase and ganglioside activity, herpes simplex virus-transformed fibroblasts, biochemical study, 555
Silkworm *Bombyx mori*, posterior silk gland, fibroin localization, fifth instar later stage, biochemical and immunological EM study, 648
Skate *Raja erinacea* and *R. oscellata*, eye photoreceptor terminals, peroxidase uptake, cytochemical EM study, 86
Spermatogenesis, rat, uridine incorporation by chromatoid body, cytological and autoradiographic EM study, 239
Spindle microtubule assembly, cellular tubulin, sea urchin eggs, cytological study, 75
Spleen, rat, lymphocyte plasma membranes during segregation and internalization of surface immunoglobulins, biochemical and autoradiographic and cytochemical EM study, 477
Substratum adhesion-promoting activity, release by cultured fibroblasts, biochemical and cytological study, 634
–, epoxy, initial attachment of baby hamster kidney cells, EM study, 707
Sulfhydryls, in vitro polymerization of brain tubulin, biochemical and EM study, 226

T

Tannic acids, low molecular weight galloylglucoses, EM mordant, procedure for use, 608
Temperature, elevated, major polypeptide synthesis, *Chlamydomonas reinhardtii* thylakoid membranes, biochemical study, 326
Thylakoid membranes, *Chlamydomonas reinhardtii y-1*, major polypeptide synthesis at elevated temperatures, biochemical study, 326
Tissue culture, rat liver heteroploid and diploid cells, aryl hydrocarbon (benzo[*a*]pyrene) hydroxylase activity, biochemical study, 217
Transplantation, interspecific, polar plasma, *Drosophila* embryos, histochemical and EM study, 358
Tubulin, brain, sulfhydryls and in vitro polymerization of, biochemical and EM study, 226
–, spindle microtubule assembly, sea urchin eggs, cytological study, 75

U

UDP-glucuronyltransferase and endoplasmic reticulum proliferation, chick embryo liver, effect of phenobarbital, biochemical and EM study, 319
Unit membrane regular structures, particulate component, suckling rat ileum endocytic membrane complex, EM study, 112
– membrane regular structures, two water-soluble membrane proteins, suckling rat ileum, biochemical and EM study, 97
Uridine incorporation by chromatoid body, rat spermatogenesis, cytological and autoradiographic EM study, 239

V

Vesicles, lipid, interaction with erythrocytes and cultured cells, induction of fusion, cytological and light and EM study, 506
–, lipid, interaction with erythrocytes, hemagglutination and hemolysis, biochemical and light and EM study, 494
–, lipid, interaction with erythrocytes, introduction of antigenic determinant into membranes, immunological and light and EM study, 515
Virus SV40 egress from CV1 nucleus, nuclear pore fibrils, EM study, 714

W

Worm *Ascaris suum*, larvae, subcellular localization of glyoxylate cycle enzymes, biochemical and EM study, 374